ELSEVIER

Applied Acoustics 63 (2002) III–IX

applied acoustics

www.elsevier.com/locate/apacoust

Contents of Volume 63

Number 1

1 The attenuation of hearing protectors against high-level industrial impulse noise; comparison of predicted and in situ results
J. STARCK, E. TOPPILA, H. LAITINEN (Finland), G. SUVOROV, V. HARITONOV & T. GRISHINA (Russia)

9 Experimental example of the pseudo-forces method used in characterisation of a structure-borne sound source
M.H.A. JANSSENS, J.W. VERHEIJ (The Netherlands) & T. LOYAU (France)

35 Industrial noise and its effects on human hearing
P.C. ELEFTHERIOU (Cyprus)

43 Revealing surface anomalies in structures by in situ measurement of acoustic energy absorption
P. CALICCHIA & G.B. CANNELLI (Italy)

61 Zero/pole placement control of periodic duct noise
J. YUAN (Hong Kong)

Technical notes

81 Development of a prediction method for flow-generated noise produced by duct elements in ventilation systems
C.M. MAK (People's Republic of China)

95 Research on the interior noise contributed from a local panels vibration of an elastic thin-walled cavity
W. DING, H. CHEN (People's Republic of China)

103 Subjective assessment of broadband background noises in music auditoriums
W. CHIANG, W. WANG (Taiwan)

117 Calendar

Number 2

119 Establishing a new acoustical laboratory, planning, experiments, experiences
F. REIS (Hungary)

139 Direct measurement of moment mobility and a moment excitation system
S. JIANXIN & C.M. MAK (People's Republic of China)

153 On the causes of negative source impedance in the measurement of intake and exhaust noise sources
J.-G. IH (South Korea) & K.S. PEAT (UK)

173 Thick barrier noise-reduction in the presence of atmospheric turbulence: measurements and numerical modelling
J. FORSSÉN & M. ÖGREN (Sweden)

189 A study of the modal characteristics of curved pipes
L. SALLEY & J. PAN (Australia)

203 Improving the acoustic working conditions for musicians in small spaces
X. ZHA, H.V. FUCHS & H. DROTLEFF (Germany)

Technical note

223 Ribs effects in acoustic radiation of a gearbox — their modelling in a boundary element method
S. LE MOYNE & J.-L. TÉBEC (France)

I Calendar

Number 3

235 Locating wide band acoustic sources using higher order statistics
S. BOURENNANE & A. BENDJAMA (France)

253 Propagator methods for finding wideband source parameters
S. BOURENNANE, A. BENDJAMA & J.P. SESSAREGO (France)

283 An experimental investigation on the directional distribution of incident energy for the prediction of sound transmission loss
H.-J. KANG, J.-G. IH, H.-S. KIM & J.-S. KIM (South Korea)

295 The application of source methods in estimation of an interior sound field
G.-P.J. TOO & S.M. WANG (Taiwan)

311 Vibration measurements in the classical guitar
R.R. BOULLOSA (Mexico)

Technical notes

323 A method for predicting psychological response to meaningless random noise based on fuzzy system model
T. SAEKI, S. YAMAGUCHI, Y. KATO & K. OIMATSU (Japan)

333 Longitudinal vibration of multi-step non-uniform structures with lumped masses and spring supports
Q.S. LI, J.R. WU (Hong Kong) & J. XU (China)

I Calendar

Number 4

351 Environmental noise pollution in the city of Curitiba, Brazil
P.H.T. ZANNIN, F.B. DINIZ & W.A. BARBOSA (Brazil)

359 Minimal input models for sound level prediction in fitted enclosed spaces
S.M. DANCE (UK)

373 Prediction of noise from trams
J. MANDULA, B. SALAIOVÁ & M. KOVALAKOVÁ (Slovakia)

391 Brake squeal: a literature review
A. PAPINNIEMI, J.C.S. LAI, J. ZHAO & L. LOADER (Australia)

401 An inversion modelling method to obtain the acoustic power of the noise sources in a large factory
O. GUASCH, F.X. MAGRANS & P.V. RODRIGUEZ (Spain)

419 Laser-Doppler Vibrometer measurements of acoustic-to-seismic coupling in unconsolidated soils
N. HARROP & K. ATTENBOROUGH (UK)

431 Indoor noise reduction index with open window
C. BURATTI (Italy)

453 A new technique in ramp response for acoustic imaging of underwater objects
X.M. ZHANG, W. LI & G.R. LIU (Singapore)

I Calendar

Number 5

467 A waveform synthesis algorithm for active control of transformer noise: implementation
X. QIU, X. LI (Australia), Y. AI (PR China) & C.H. HANSEN (Australia)

481 Development of a hybrid computer model for simulating the complicated virtual sound field in enclosures
Z. XIANGYANG, C.K. KE-AN & SUN JINCAI (PR China)

493 Influence of visual setting on sound ratings in an urban environment
S. VIOLLON, C. LAVANDIER & C. DRAKE (France)

513 Free vibrations of elastic circular toroidal shells
R.S. MING, J. PAN & M.P. NORTON (Australia)

529 Reduction of external noise by building facades: tolerance of standard EN 12354-3
A. SAARINEN (Finland)

547 Effect of symmetrical boundary conditions on the vibration of thick hollow cylinders
G.R. BUCHANAN & C.B.Y. YII (USA)

Technical note

567 The required sample size in measuring oblique incidence absorption coefficient Experimental study
K. KIMURA & K. YAMAMOTO (Japan)

579 Book review

I Calendar

Number 6

583 Stiffness scaling laws and vibration isolators
L. KARI (Sweden)

595 Sound propagation around rigid barriers laterally confined by tall buildings
L. GODINHO, J. ANTÓNIO & A. TADEU (Portugal)

611 Absorbing surfaces in ray-tracing programs for coupled spaces
L. NIJS (Netherlands), G. JANSENS, G. VERMEIR (Belgium) & M. VAN DER VOORDEN (Netherlands)

627 A neural-computation method of predicting the early interaural cross-correlation coefficient ($IACC_{E3}$) for auditoria
J. NANNARIELLO & F.R. FRICKE (Australia)

643 A study on avoiding hyper-singular integrals in exterior acoustic radiation analysis
G.R. LIU, C. CAI, J. ZHAO, H. ZHENG & K.Y. LAM (Singapore)

659 The modelling of the dynamic behaviour of tyre tread blocks
K. LARSSON, S. BARRELET & W. KROPP (Sweden)

Technical notes

679 A GIS based road traffic noise prediction model
B. LI, S. TAO, R.W. DAWSON, J. CAO & K. LAM (China)

693 Application of auditory masking in improved multiband excitation model
S.N. KOH & G.H. CHUA (Singapore)

I Calendar

Number 7

699 Acoustic based condition monitoring of a diesel engine using self-organising map networks
W. LI (Canada), R.M. PARKIN, J. COY & F. GU (UK)

713 Heat transport by acoustic streaming within a cylindrical resonator
G. MOZURKEWICH (USA)

737 Sound radiation from a double-leaf elastic plate with a point force excitation: effect of an interior panel on the structure-borne sound radiation
M. YAIRI, K. SAKAGAMI, E. SAKAGAMI, M. MORIMOTO, A. MINEMURA & K. ANDOW (Japan)

759 A statistical model for evaluation and prediction of the noise exposure in a construction equipment area
E. MANATAKIS & D. SKARLATOS (Greece)

775 Measurement of acoustic impedance and prediction of transmission loss of the porous woven hose in engine intake systems
C.-M. PARK, J.-G. IH (South Korea), Y. NAKAYAMA & S. KITAHARA (Japan)

795 Recent advances in utilizing acoustics to study surface roughness in agricultural surfaces
J.P. CHAMBERS & J.M. SABATIER (USA)

Technical note

813 Influence of screw spacings on sound reduction index in lightweight partitions
A. URIS, J. SINISTERRA, J.M. BRAVO, J. LLINARES & H. ESTELLES (Spain)

I Calendar

Number 8

819 Sound absorption of elastic framed porous materials in combination with impervious films: effect of bonding
J.P. PARKINSON, J.R. PEARSE & M.D. LATIMER (New Zealand)

829 On the addition of two incoherent unsteady noise records of similar statistical structures
S.K. TANG (PR China)

849 A mathematical model for a single screen barrier in open-plan offices
C. WANG & J.S. BRADLEY (Canada)

867 Prediction of the speech intelligibility index behind a single screen in an open-plan office
C. WANG & J.S. BRADLEY (Canada)

885 Control of a rotating cantilever beam using a torque actuator and a distributed piezoelectric polymer actuator
D. SUN (Hong Kong) & J.K. MILLS (Canada)

901 Assessing tuning and damping of historical carillon bells and their changes through restoration
X. BOUTILLON & B. DAVID (France)

911 Acoustic properties of double-leaf membranes with a permeable leaf on sound incidence side
K. SAKAGAMI, M. KIYAMA & M. MORIMOTO (Japan)

Technical note

927 Dependence of coincidence frequency in double-glazed window on glass thickness and interpane cavity
Y.T. KIM, H.C. KIM, S.S. JUNG, M.J. JHO & S.J. SUH (South Korea)

937 Book review

I Calendar

Number 9

939 Large amplitude vibration of an initially stressed cross ply laminated plates
C.-S. CHEN, W.-S. CHENG, R.-D. CHIEN & J.-L. DOONG (Taiwan)

957 A new-style phased array transducer for HIFU
X. RONGMIN, S. WENDE, C. GUOPING & Z. MEIDUN (China)

965 Numerical modeling of urban sound fields by a diffusion process
J. PICAUT (France)

993 Engineering formulas for ground effects on broad-band noise
R. GOLĘBIEWSKI & R. MAKAREWICZ (Poland)

1003 Development of an optimised, standard-compliant procedure to calculate sound transmission loss: design of transmission rooms
C.I. PAPADOPOULOS (Greece)

1031 Explicit results for wave scattering and transmission through a rough fluid–fluid interface
T. LIEUWEN (USA)

I Calendar

Number 10

1051 Influence of air layers and damping layers between gypsum boards on sound transmission
J.M. BRAVO, J. SINISTERRA, A. URIS, J. LLINARES & H. ESTELLES (Spain)

1061 An environmental noise study in the city of Cáceres, Spain
J.M. BARRIGÓN MORILLAS, V. GÓMEZ ESCOBAR, J.A. MÉNDEZ SIERRA, R. VÍLCHEZ GÓMEZ & J. TRUJILLO CARMONA (Spain)

1071 Acoustic modes induced by flow in a pipe with two closed side-branches
M. MEISSNER (Poland)

1085 Acoustic–seismic detection and classification of military vehicles—developing tools for disarmament and peace-keeping
J. ALTMANN, S. LINEV & A. WEIß (Germany)

1109 Noise assessment in a high-speed train
E. PARIZET, N. HAMZAOUI & J. JACQUEMOUD (France)

1125 Shallow rectangular TLD for structural control implementation
S.J. LI, G.Q. LI (PR China), J. TANG & Q.S. LI (Hong Kong)

1137 Evaluation and analysis of traffic noise from the main urban roads in Beijing
B. LI, S. TAO & R.W. DAWSON (China)

1143 Double-layer structural-acoustic coupling for cylindrical shell by using a combination of WDA and BIE
C.J. WU (People's Republic of China)

1155 Book review

I Calendar

Number 11

1157 Structural-acoustic coupling effect on the nonlinear natural frequency of a rectangular box with one flexible plate
Y.Y. LEE (Hong Kong)

1177 Sound radiation from a thin infinite plate in contact with a layered inhomogeneous fluid
L. ZHOU, H. ZHENG & K.C. HUNG (Singapore)

1193 Analogue active noise control
M. PAWEŁCZYK (Poland)

1215 An efficient method for the solution of Riccati equation in structural control implementation
J.Y. XU (PR China), J. TANG & Q.S. LI (Hong Kong)

1233 Improved integro-modal approach with pressure distribution assessment and the use of overlapped cavities
E. ANYUNZOGHE (Canada) & L. CHENG (Hong Kong)

Technical notes

1257 Road traffic noise mitigation strategies in Greater Cairo, Egypt
S.A. ALI & A. TAMURA (Japan)

1267 Development of a new damper to reduce resonant vibrations in lightweight steel joist floors
F. LJUNGGREN & A. ÅGREN (Sweden)

I Calendar

Number 12

1281 A power transmissibility method for assessing the performance of vibration isolation of building services equipment
C.M. MAK & S. JIANXIN (People's Republic of China)

1301 Measurement of sound insulation of acoustic louvres by an impulse method
E.B. VIVEIROS (Brazil), B.M. GIBBS (UK) & S.N.Y. GERGES (Brazil)

1315 Numerical modelling of the speech intelligibility in dining spaces
J. KANG (UK)

1335 Sound propagation between two adjacent rectangular workstations in an open-plan office—part I: mathematical modeling
C. WANG & J.S. BRADLEY (Canada)

1353 Sound propagation between two adjacent rectangular workstations in an open-plan office—part II: effects of office variables
C. WANG & J.S. BRADLEY (Canada)

1375 Modal coupling in acoustic waveguides: planar discontinuities
R.T. MUEHLEISEN & D.C. SWANSON (USA)

I Calendar

III Contents of Volume 63